Towards a Modeling Framework for Service-Oriented Digital Ecosystems

Rubén Darío Franco, Angel Ortiz, Pedro Gómez-Gasquet and Rosa Navarro Varela

¹ Research Centre on Production Management and Engineering, Universidad Politécnica de Valencia Edificio 8B, Acceso L, Planta 2 46022 Valencia, Spain dfranco@cigip.upv.es

Abstract. Reference modeling for collaborative networks has been identified as a key topic in consolidating this new scientific discipline. Earlier contributions on this field have provided a solid initial framework and they are considered starting points for this work. Based on two well-known approaches, the CIMOSA and ARCON modeling frameworks, what this work proposes is a set of modeling constructs for CNO modeling under a service-orientation perspective. Service Entities are incorporated as a third approach that may be considered if service ecosystems are being modeled.

Keywords: Collaborative Networks Reference Modeling, Service Ecosystems, Service Oriented Architectures.

1 Introduction

Considered as a commonly-agreed framework for understanding the significant concepts, entities, and relationships of some domain, Reference Modeling in the Collaborative Networks domain has been identified as a research topic that needs to be further developed [1].

Reference models are intended to provide a conceptual basis on top of which systems designers and implementers may build robust solutions for specific domains.

The main goal of this paper is to provide an initial set of modeling constructs for CNO modeling if service-orientation is being also considered.

The work has been structured in four sections. Besides this introduction, Section 2 reviews three complementary approaches that will be adopted, are introduced. Section 3 describes the approach and, finally, Section 4 briefly discusses the need, expected contribution and further research steps.

2 CNO Reference Modeling

Developing reference models is a complex task which requires a lot of effort. Actually, most well-recognized initiatives come from heavily-contributed large research projects. Both the AMICE [2] and ECOLEAD [3] consortiums involved several worldwide partners in developing CIMOSA and ARCON proposals, respectively. Being considered inspirational sources of this work, next sections will briefly describe both initiatives in order to better focus the contribution.

2.1 ARCON Reference Modeling Framework

In [4] a comprehensive modeling framework is introduced. A Reference Modeling Framework for Collaborative Networks (ARCON) is the result of developing a slid conceptual base intended to support different modeling levels ranging from General Representations of CNO up to detailed and concrete manifestations as Professional Virtual Communities or Virtual Labs.

Based on information collected from previous initiatives and developments of ECOLEAD project, proponents combine three main dimensions which are supposed to cover CNO (specifically its manifestations) modeling needs.

As it was mentioned earlier, developing a reference model for a specific domain may involve several people and take several years to reach its mature stage. Actually, in [], authors argue that ARCON represents just a first step in that direction and more research contributions will be needed.

What this work is providing is just a minor step in that way. Specifically, in Section 3, a set of building blocks is provided for each modeling intent layer (GR, SM and IM) but this proposal is only considering the CNO modeling from its Endogenous perspective.

2.2 CIMOSA Building Blocks for CIM Modeling

The Open Systems Architecture for CIM (Computer Integrated Manufacturing), initiative carried out by the AMICE consortium, perhaps it may be considered one of the most influential works of the Enterprise Engineering body of knowledge.

Initially conceived as an open architecture for manufacturing systems, its main concepts have influenced many other works. Specifically, the Virtual Enterprise Reference Architecture (VERAM) [5] and more recently ARCON, included implicit or explicit references to some of its underlying concepts.

The CIMOSA modeling framework is also characterized by three dimensions:

- **Genericity dimension**: related to the degree or particularization of created models. It goes from generic building blocks, intended for general purpose models, to specific company-wide ones.
- **Modeling dimension**: provides modeling support from a systemic perspective, going from requirements up to the description of system implementation.
- View dimension: this dimension provides users with different perspectives intended to model near-orthogonal abstractions of the system being modeled.

In terms of building blocks, a comprehensive list has been provided. Main CIMOSA building blocks are detailed in [6]

2.3 Service Entities for CNO Reference Modeling

Service Entities paradigm has been proposed as a complementary approach of Virtual Breeding Environments (VBE) and Virtual Organizations (VO) management practices and they are considered a key component of the next generation of VBE Management Systems [6].

In their simplest form, Service Entities represent abstracted specifications of actual entities existing in some specific domain, in terms of its attributes and methods (business services) needed to define their behavior. In [7], has been discussed how SE may be used to support CNO reference modeling, mainly from their Functional, Structural and Informational perspectives.

3 A Modeling Framework for Service-oriented Digital Ecosystems

Based on the above mentioned approaches, next sections will describe a three-layered approach for the identification of the main building blocks in CNO reference modeling. First, a description of building blocks for CNO General Representation is introduced. This layer considers generic building blocks that may be used to describe many CNO manifestations.

Next, Specific Modeling (SM) building blocks are introduced. Most of constructs are derived from GR layer and, complementarily, two service-oriented specific ones are given:

- **Digital business service interface**: which is intended to support the definition of business services that CNO members may need to define in order to properly support CNO service-orientation approach
- Abstract Service Entity: this construct will be used to represent actors (i.e. resources) of the CNO which will be providing such business service interfaces.

At the Implementation level, main contribution includes two related constructs which can be used to describe their implementation details: **Web Services** and **Concrete Service Entity**.

3.1 General Representation (GR) Modeling Constructs

General Representation modeling constructs are intended to provide a common understanding framework for modeling generic descriptions and requirements of collaborative networks despite their nature and specific class.

Figure 1 provides an overview of main constructs and their relationships. Complementarily, Table 1 includes a brief description of such constructs. Previous contributions are *indicated*.




Fig. 1. CNO General Representation building blocks

 Table 1. Main modeling constructs for CNO General Representation (GR).

Construct	Description	Dimension
Domain	Defines the functional areas subject to system analysis and	Functional
	implementation.	
Domain	DPs are stand-alone processes triggered by nothing but	Functional
processes	Events and producing defined end results. They encapsulate	
	a well-defined set of (network) functionality and behavior.	
Business	BPs are user-defined sub-processes of Domain Processes	Functional
processes	defining pieces of network behavior. They are made of other	
	Business Processes and/or Enterprise Activities.	
Enterprise	Define the network functionality as elementary tasks defined	Functional
activities	by their inputs, their outputs, their function and their	
	required capabilities.	
Events	Describe real-world happenings, timers or requests to do	Functional
	something in the network. They activate the processing of	
	the DP (and possibly the BP) of the network.	
Performance	Performance Indicators are related to specific DP, BP or EA	Functional
indicator	of the network and their definition includes both target goals	
	and constrained limits.	
Business	A business service represents a "business interface" that any	Functional
service	member of the network makes available to third parties by	
	means of an interface specification	
Actor	Each individual network member (or candidate). They may	Organization
	represent organizations, individuals, systems or machines	
	being able to provide business services.	

Role	Roles are played by actors and, depending on the network type, they may assume several roles along their life-cycle.	Organization
VBE	Virtual Breeding Environments represent containers where specific CNO instances may be launched and where actors belong to.	Organization
Behavioral rule	Behavioral rules constrain in the sense that is described in E4 ARCON's perspective.	Organization
Object	Describe generalised entities (or objects) of the network which can thought as a whole.	Information
Message	Represent the basic exchange mechanism used for processes activation and events generation.	Information
Information elements	Describe elementary, i.e. atomic, pieces of information as perceived by users.	Information
Ontology definition	Express constraints on Information Elements to ensure their consistency.	Information

3.2 Specific Modeling (SM) Constructs

Specific Modeling Constructs refer to a set of building blocks that can be used to model specific types of CNO. Their specification will serve as base for modeling specific types of CNO and they may be based on currently available GR building blocks.

Figure 2 shows the constructs of this layer and their main relationships. Complementarily, Table 2 includes a brief description of them where previous contributions are *highlighted*.




Fig. 2. CNO Specific Modeling building blocks

Table 2. Modeling constructs for CNO Specific Modeling (SM).

Construct	Description	Dimension
Specified	Formal specifications of Domain Processes.	Functional
Domain		
Process		
Specified	Formally defined specifications of Collaborative Business	Functional
Business	Processes. They are defined by their triggering condition and	
Process	Process Behaviour	F 1
Specified	Specification of Enterprise Activities defined by their	Functional
Enterprise Activity	Inputs, Control, Resources, Outputs and Resources.	
Specified	Formal definition of Performance Indicators linked to	Functional
Performance	operational processes and resources.	Functional
Indicator	operational processes and resources.	
Digital	Linked to GR-Business Services, they represent the formal	Functional
business	definition of a business service interface (mainly in terms of	
service	inputs, outputs and expected functionality) that will be	
interface	provided by means of digital networks.	
Abstract	Representing a type of Actor, they provide functional	Organization
Service Entity	capabilities by means of their abstract digital service	
	definitions.	
Specified	Formal definition of messages to be exchanged inside the	Functional
Message	network when DP and BP are executed.	Tuncuonui
Specified	Formally defined specifications of both external and internal	Functional
Event	Events	
Specified	They provide the specified Capabilities which meet or	Resource
Resource	exceed the required Capabilities defined at the GR definition	
	level	
Specified	Provided by specified Resources, meet or exceed the	Resource
Capability	required Capabilities defined at the GR Modeling Level	
Specified	Formally defined engineering responsibilities for the	Organization
Responsibility	creation, and maintenance of specific modeling activities	• • •
Specified	Formal identification of entities involved in the CNO. At	Organization
Actor	this modeling level they only are identified as classes or	
Specified	types. Directly linked to actors, a role is assumed by one or more	Organization
Role	actors, depending on network specific constrains.	Organization
Specified	are formally assigned engineering responsibilities for the	Organization
Authority	creation, and maintenance of specific modeling activities	Organization
	ereation, and maintenance of specific modering detivities	

3.3 Implementation Modeling (IM) Constructs

Implementation Modeling Constructs refer to a set of building blocks that can be used to model specific instances of specific CNO models. They may be based on currently available SM building blocks. Figure 3 shows the constructs of this layer and their main relationships. Complementarily, Table 3 includes a brief description of them where previous contributions are *highlighted*.




Fig. 3. CNO Implementation Modeling building blocks

Construct	Description	Dimension
Implemented	Describe the implemented Domain behavior	Functional
Domain		
Process		
Implemented	Describe the implemented flow of control for a part of a DP.	Functional
business		
process		
Implemented	Describe the implemented functionality and indicate	Functional
Enterprise	resources needed to execute it.	
Activity		
Implemented	Describe how enterprise events initiate action by the	Functional
Event	physical system of the enterprise	_
Implemented	Describe resources which are derived from Specified	Resource
Resource	Resources.	
Implemented	Describe capabilities which are provided by Implemented	Resource
Capability	Resources and which comply with Specified Capabilities	
	defined at the Design Specification Modelling Level.	
Implemented	Define engineering and operational responsibilities	Organization
authority		
profile		0
Implemented	CNO Specific roles that may be assumed by Implemented resources and Concrete Service Entities	Organization
role		Owe with attack
Implemented	Assign engineering and operational responsibilities	Organization
responsibility		
profile Web	Implemented digital business service interface which	Information
W CD	Implemented digital business service interface which	mormation

service	constitutes the expected digital functionality provided by them	
Implemented	Describe XML-based messages that are going to be used for	Information
XML	CNO information sharing and coordination mechanism.	
Message		
Implemented	Describe implemented XML-schemas that will be used to	Information
XML Schema	validate messages and ontological validation.	
Concrete	Actual instances of Abstract Services Entities linked to	Organization
Service Entity	implemented resources and able to provide their expected	
	capabilities	

4 Brief Discussion

Reference modeling in the Collaborative Networks domain has been identified as a key research topic that needs to be further addressed.

Earlier contributions in this field have provided solid initial foundations and this work has introduced a first attempt to provide a set of modeling constructs for CNO, based on three converging research streams: the CIMOSA Modeling Framework, ARCON Modeling Framework and Service Entities approach.

As a result, an overall framework has been made available for systems architects and developers.

We are aware that developing this kind of models requires deep research community consensus. Cause of that, next research steps will include its submission to public bodies as the Society for Collaborative Networks (SOCOLNET) for further enrichment and validation.

References

- Camarinha-Matos, L and Afsarmanesh, H. (2006) Towards a reference model for Collaborative Networked Organizations. In Proceedings of BASYS'06. Information Technology for Balanced Manufacturing Systems, Springer (2006)
- 2. AMICE Consortium. http://cimosa.cnt.pl/Docs/Primer/primer2.htm
- 3. ECOLEAD Project (2009)
- 4. Camarinha-Matos, L and Afsarmanesh, H. Collaborative Networks: Reference Modeling.. Springer, Heidelberg (2008)
- 5. VERAM. Virtual Enterprise Reference Architecture and Methodology. http://cic.vtt.fi/projects/globemen/book/01_zwegers2.pdf
- Franco, R.D., Ortiz Bas, A. and Lario, F. Modeling extended manufacturing processes with service-oriented entities. Service Business. Volume 3, Number 1 / March (2009)
- Franco, R.D., Ortiz Bas, A. Prats, G. and Navarro Varela, R. Supporting Structural and Functional Collaborative Networked Organizations Modeling with Service Entities, Leveraging Knowledge for Innovation in Collaborative Networks. Springer. pp 547-554 (2009)