

Non-cooperative Forwarding in Ad-hoc Networks

Eitan Altman*, Arzad A. Kherani*,* Pietro Michiardi†, Refik Molva†**

Abstract. A wireless Ad-hoc network is expected to be made up of energy aware entities (nodes) interested in their own perceived performance. An important problem in such a scenario is to provide incentives for collaboration among the participating entities. Forwarding packets of other nodes is an example of activity that requires such a collaboration. However, it may not be in interest of a node to always forward the requesting packets. At the same time, not forwarding any packet may adversely affect the network functioning. Assuming that the nodes are rational, i.e., their actions are strictly determined by their self-interest, we view the problem in framework of non-cooperative game theory and provide a simple punishing mechanism considering end-to-end performance objectives of the nodes. We also provide a distributed implementation of the proposed mechanism. This implementation has a small computational and storage complexity hence is suitable for the scenario under consideration.

keywords Game theory, Stochastic approximation algorithm.

1 Introduction

In order to maintain connectivity in an Ad-hoc network, mobile terminals should not only spend their resources (battery power) to send their own packets, but also for forwarding packets of other mobiles. Since Ad-hoc networks do not have a centralized base-station that coordinates between them, an important question that has been addressed is to know whether we may indeed expect mobiles to collaborate in such forwarding. If mobiles behave selfishly, they might not be interested in spending their precious transmission power in forwarding of other mobile's traffic. A natural framework to study this problem is noncooperative game theory. As already observed in many papers that consider noncooperative behavior in Ad-hoc networks, if we restrict to simplistic policies in which each mobile determines a fixed probability of forwarding a packet, then this gives rise to the most "aggressive" equilibrium in which no one forwards packets, see e.g. [3, Corollary 1], [4], thus preventing the system to behave as a connected network. The phenomenon of aggressive equilibrium that severely affects performance has also been reported in other noncooperative problems in networking, see e.g. [1]

* INRIA, 06902 Sophia Antipolis, France. Eitan.Altman, alam@sophia.inria.fr.

** GET/EURECOM, Sophia-Antipolis, France. Pietro.Michiardi, molva@eurecom.fr.

for a flow control context (in which the aggressive equilibrium corresponds to all users sending at their maximum rate).

In order to avoid very aggressive equilibria, we propose strategies based on threats of punishments for misbehaving aggressive mobiles, which is in the spirit of a well established design approach for promoting cooperation in Ad-hoc networks, carried on in many previous works [3, 7]. In all these references, the well known “TIT-FOR-TAT” (TFT) strategy was proposed. This is a strategy in which when a misbehaving node is detected then the reaction of other mobiles is to stop completely forwarding packets during some time; it thus prescribes a threat for very “aggressive” punishment, resulting in an enforcement of a fully cooperative equilibrium in which all mobiles forward all packets they receive (see e.g. [3, Corollary 2]). The authors of [6] also propose use of a variant of TFT in a similar context.

In this work we consider a less aggressive punishment policy. We simply assume that if the fraction q' of packets forwarded by a mobile is less than the fraction q forwarded by other mobiles, then this will result in a decrease of the forwarding probability of the other mobiles to the value q' . We shall show that this will indeed lead to non-aggressive equilibria, yet not necessarily to complete cooperation. The reasons for adopting this milder punishment strategy are the following:

1. There has been criticism in the game-theoretical community on the use of aggressive punishments. For example, threats for aggressive punishments have been argued not to be credible threats when the punishing agent may itself loose at the punishing phase. This motivated equilibria based on more credible punishments known as subgame perfect equilibria [5].
2. An individual that adopts an “partially-cooperative” behavior (i.e. forwards packets with probability $0 < q < 1$) need not be considered as an “aggressive” individual, and thus the punishment needs not be “aggressive” either; it is *fair* to respond to such a partially-cooperative behavior with a partially-cooperative reaction, which gives rise to our mild punishment scheme.
3. The TFT policy would lead to complete cooperation at equilibrium. However, our milder punishment seems to us more descriptive of actual behavior in the society in which we do not obtain full cooperation at equilibrium (for example in the behavior of drivers on the road, in the rate of criminality etc.) It may indeed be expected that some degree of non-cooperative behavior by a small number of persons could result in larger and larger portions of the society to react by adopting such a behavior.

As already mentioned, incentive for cooperation in Ad-hoc networks have been studied in several papers, see [3, 4, 6, 7]. Almost all previous papers however only considered utilities related to successful transmission of a mobile’s packet to its neighbor. In practice, however, multihop routes may be required for a packet to reach its destination, so the utility corresponding to successful transmission depends on the forwarding behavior of all mobiles along the path. The goal of our paper is therefore to study the forwarding taking into account the multihop topological characteristics of the path.

Most close to our work is the paper [3] which considers a model similar to ours (introduced in Section 2 below). [3] provides sufficient condition on the network topology under which each node employing the “aggressive” TFT punishment strategy results in a Nash equilibrium. In the present paper, we show that a less aggressive punishment mechanism can also lead to a Nash equilibrium which has a desirable feature that it is less resource consuming in the sense that a node need not accept all the forwarding request. We also provide some results describing the structure of the Nash equilibrium thus obtained (Section 5). We then provide a distributed algorithm which can be used by the nodes to compute their equilibrium strategies and enforce the punishment mechanism using only local information (Section 6). The algorithm is implemented using the MATLAB suite and some numerical results are presented (Section 7). Section 8 concludes the paper.

2 The Model

Consider an Ad-hoc network described by a directed graph $G = (N, V)$. Along with that network, we consider a set of source-destination pairs O and a given routing between each source s and its corresponding destination d , of the form $\pi(s, d) = (s, n_1, n_2, \dots, n_k, d)$, where $k = k(s, d)$ is the number of intermediate hops and $n_j = n_j(s, d)$ is the j th intermediate node on path $\pi(s, d)$. We assume that mobile j forwards packets (independently from the source of the packet) with a fixed probability γ_j . Let $\underline{\gamma}$ be the vector of forwarding probabilities of all mobiles. We assume however that each source s forwards its own packets with probability one. For a given path $\pi(s, d)$, the probability that a transmitted packet reaches its destination is thus: $p(s, d; \underline{\gamma}) = \prod_{j=1}^{k(s, d)} \gamma(n_j(s, d))$.

If i belongs to a path $\pi(s, d)$ we write $i \in \pi(s, d)$. For a given path $\pi(s, d)$ of the form $(s, n_1, n_2, \dots, n_k, d)$ and a given mobile $n_j \in \pi(s, d)$, define the set of intermediate nodes before n_j to be the set $S(s, d; n_j) = (n_1, \dots, n_{j-1})$. The probability that some node $i \in \pi(s, d)$ receives a packet originating from s with d as its destination is then given by $p(s, d; i, \underline{\gamma}) = \prod_{j \in S(s, d; i)} \gamma(j)$.

Note that $p(s, d; d, \underline{\gamma}) = p(s, d; \underline{\gamma})$, the probability that node d receives a packet originating from source s and having d as its destination.

Define $O(i)$ to be all the paths in which a mobile i is an intermediate node. Let the rate at which source s creates packets for destination d be given by some constant λ_{sd} . Then the rate at which packets arrive at node i in order to be forwarded there is given by $\xi_i(\underline{\gamma}) = \sum_{\pi(s, d) \in O(i)} \lambda_{sd} p(s, d; i, \underline{\gamma})$.

Let E_f be the total energy needed for forwarding a packet (which includes the energy for its reception and its transmission). Then the utility of mobile i that we consider is

$$U_i(\underline{\gamma}) = \sum_{n: (i, n) \in O} \lambda_{in} f_i(p(i, n; \underline{\gamma})) + \sum_{n: (n, i) \in O} \lambda_{ni} g_i(p(n, i; \underline{\gamma})) - a E_f \xi_i(\underline{\gamma}), \quad (1)$$

where f_i and g_i are utility functions that depend on the success probabilities associated with node i as a source and as a destination respectively and a is some

multiplicative constant. We assume that $f_i(\cdot)$ and $g_i(\cdot)$ are nondecreasing concave in their arguments. The objective of mobile i is to choose γ_i that maximizes $U_i(\underline{\gamma})$. We remark here that similar utility function is also considered in [3] with the difference that node's utility does not include its reward as a destination, i.e., they assume that $g_i(\cdot) \equiv 0$.

Definition: For any choices of strategy $\underline{\gamma}$ for all mobiles, define $(\gamma'_i, \underline{\gamma}^{-i})$ to be the strategy obtained when only player i deviates from γ_i to γ'_i and other mobiles maintain their strategies fixed.

In a noncooperative framework, the solution concept of the optimization problem faced by all players is the following:

Definition: A Nash equilibrium, is some strategy set $\underline{\gamma}^*$ for all mobiles such that for each mobile i ,

$$U_i(\underline{\gamma}^*) = \max_{\gamma'_i} U_i(\gamma'_i, (\underline{\gamma}^*)^{-i}).$$

We call $\text{argmax}_{\gamma'_i} U_i(\gamma'_i, \underline{\gamma}^{-i})$ the set of optimal responses of player i against other mobiles policy $\underline{\gamma}^{-i}$ (it may be an empty set or have several elements).

In our setting, it is easy to see that for each mobile i and each fixed strategy $\underline{\gamma}^{-i}$ for other players, the best response of mobile i is $\gamma_i = 0$ (unless $O(i) = \emptyset$ in which case, the best response is the whole interval $[0, 1]$). Thus the only possible equilibrium is that of $\gamma_i = 0$ for all i . To overcome this problem, we consider the following “punishing mechanism”. in order to incite mobiles to cooperate.

Definition: Consider a given set of policies $\underline{\gamma} = (\gamma, \gamma, \gamma, \dots)$. If some mobile deviates and uses some $\gamma' < \gamma$, we define the punishing policy $\kappa(\gamma', \gamma)$ as the policy in which all mobiles decrease their forwarding probability to γ' .

When this punishing mechanism is enforced, then the best strategy of a mobile i when all other mobiles use strategy γ is γ' that achieves

$$J(\gamma) := \max_{\gamma' \leq \gamma} U_i(\underline{\gamma}') \quad (2)$$

where $\underline{\gamma}' = (\gamma', \gamma', \gamma', \dots)$.

Definition: If some γ^* achieves the minimum in (2) we call the vector $\underline{\gamma}^* = (\gamma^*, \gamma^*, \gamma^*, \dots)$ the equilibrium strategy (for the forwarding problem) under threats. $J(\gamma)$ is called the corresponding value.

Remark: Note that $\gamma^* = 0$ is still a Nash equilibrium, a fact that will be used frequently in Section 5 where we obtain some structural properties of equilibrium strategy under threats.

3 Utilities for Symmetrical Topologies

By symmetrical topology we mean the case where f_i , g_i and ξ_i are independent of i . This implies that for any source-destination pair (s, d) , there are two nodes s' and d' such that the source-destination pairs (s', s) and (d, d') are identical to (s, d) in the sense that their view of the network is similar to that of (s, d) . This implies that, under the punishment mechanism where all nodes have same

forwarding probability, we have $p(s, d; \underline{\gamma}) = p(s', s; \underline{\gamma})$. Thus we can replace the rewards $f_i + g_i$ by another function that we denote $f(\cdot)$.

Consider $\underline{\gamma}$ where all entries are the same and equal to γ , except for that of mobile i . For a path $\pi(s, d)$ containing n intermediate nodes, we have $p(s, d; \underline{\gamma}) = \gamma^n$. Also, if a mobile i is $n + 1$ hops away from a source, $n = 1, 2, 3, \dots$, and is on the path from this source to a destination (but is not itself the destination), then $p(s, d; i, \underline{\gamma}) = \gamma^n$. We call the source an “effective source” for forwarding to mobile i since it potentially has packets to be forwarded by mobile i . Let $h(n)$ be the rate at which all effective sources located $n + 1$ hops away from mobile i transmit packets that should use mobile i for forwarding (we assume that h is the same for all nodes). Let $\lambda^{(n)}$ denote the rate at which a source s creates packets to all destinations that are $n + 1$ hops away from it. Then we have

$$U_i(\underline{\gamma}) = \sum_{n=1}^{\infty} \lambda^{(n)} f(\gamma^n) - aE_f \sum_{n=1}^{\infty} h(n) \gamma^n. \quad (3)$$

The equilibrium strategy under threat is then the value of γ that maximizes the r.h.s.

Remark: If we denote by $A(z) = \sum_{n=1}^{\infty} z^n \lambda^{(n)}$ the generating function of $\lambda^{(n)}$ and $H(z) := \sum_{n=1}^{\infty} z^n h(n)$ the generating function of h . Then $\max_{\gamma} \left(A(\gamma) - aE_f H(\gamma) \right)$ is the value of the problem with threats in the case that f is the identity function.

4 Examples

In this section we present, by means of two examples, the effect of imposing the proposed punishment mechanism.

4.1 An Asymmetric Network

Consider the network shown in Figure 1. For this case nodes 1 and 4 have no traffic to forward. Note also that if we assume that $g_3(\cdot) \equiv 0$ in Equation 1 then node 3 has no incentive even to invoke the punishment mechanism for node 2. This will result in no cooperation in the network. Assume for the time being that $f_2(x) = g_3(x) = x$, i.e., f_2 and g_3 are identity functions. In this case it is seen that the utility functions for nodes 2 and 3 are, assuming $\lambda_{13} = \lambda_{24} = 1$, $U_2(\gamma_2, \gamma_3) = \gamma_3 - aE_f \gamma_2$ and $U_3(\gamma_2, \gamma_3) = \gamma_2 - aE_f \gamma_3$. When we impose the punishment mechanism, it turns out that the equilibrium strategy for the two nodes is to always cooperate, i.e., $\gamma_2 = \gamma_3$. This is to be compared with the TFT strategy of [3] which would imply $\gamma_2 = \gamma_3 = 0$.

4.2 A Symmetric Network

We consider here equally spaced mobile nodes on a circle and assume that each node i is a source of traffic to a node located L hops to the right, i.e. to the node $i + L$.



Figure 1. An asymmetric network.

Let the rate of traffic generated from a source be λ . For this case, $h(n) = \lambda I_{\{n \leq L-1\}}$. Also, $\lambda^{(n)} = \lambda I_{\{n=L\}}$, for some λ . It follows from Equation 3 that the utility function for mobile i is $U_i(\underline{\gamma}) = \lambda f(\gamma^{L-1}) - aE_f \lambda \sum_{n=0}^{L-2} \gamma^n$. For $f(\cdot)$ an identity function, we see that $U_i(\underline{\gamma}) = \lambda [\gamma^{L-1} - aE_f(\gamma^{L-2} + \gamma^{L-3} + \dots + \gamma + 1)]$. Note that if $L = 2$ and $a = \frac{1}{E_f}$, the utility function is independent of γ hence in this case the equilibrium strategy is any value of forwarding probability. Also, if $aE_f \geq 1$, the equilibrium strategy is $\gamma = 0$. We will have more to say on this in the next section where we study the structure of equilibrium strategy for symmetric network.

5 Structure of Equilibrium Strategy

In this section we undertake the study of dependence of the equilibrium strategy on the various system parameters. We restrict ourselves to the case of symmetric topologies. Symmetry of the problem along with the imposed punishment mechanism implies that the equilibrium strategy (the forwarding probabilities) will be same for all the nodes in the network. We denote this probability by γ^* .

This is to be understood as follows. When a node i computes its equilibrium strategy γ_i , it must consider the fact that the other nodes will respond with a punishing mechanism to its strategy. Thus, the problem faced by node i is *not* that of optimizing Equation 3 with respect to γ_i considering γ^{-i} fixed (which will lead to the trivial solution of $\gamma_i = 0$ as seen before). Owing to the punishment mechanism, node i should a priori assume that all the forwarding probabilities are same, i.e., $\gamma^{-i} = (\gamma_i, \dots, \gamma_i)$. This makes the problem faced by node i a single variable optimization problem.

Though $f(\cdot)$ is concave in its argument ($p(\gamma)$, which is a polynomial in γ), $f(p(\gamma))$ may not be concave as a function of γ . For example, in the case of circular network above, $f(p(\gamma)) = p(\gamma) = \gamma^{L-1}$, convex in γ . Thus obtaining a direct structural result for γ^* seems to be hard for general $f(\cdot)$ and $p(\cdot)$. We can get some interesting insights using some approximations; this is the aim of present section. In particular, we study how γ^* depends on the *system parameters*, L , $f(\cdot)$, $p(\cdot)$, a and E_f .

It is clear from the expression of the utility function that γ^* will depend on a and E_f only through their product. Let us introduce the notation $K := aE_f$.

It is also clear from the definition of utility function ($U_i(\underline{\gamma})$) that if either K or L is *large*, the equilibrium strategy of the game is at *smaller* γ . It is also intuitive that for *small* values of K (or L), a node may forward most of the requesting packets. In the following we characterize what value of K or L can

be considered as *large* or *small*. Clearly this characterization will depend on $f(\cdot)$ and the network, i.e., $p(\cdot)$ and $H(\cdot)$.

5.1 Dependence of γ^* on K

The case of General Network and $f(\cdot)$ Consider the line starting at $\gamma = 0$ with a value $f(0)$ and having a slope $f'(0)p'(1)$ for $0 \leq \gamma \leq 1$. This slope is an upper bound on the slope of $f(p(\gamma))$ in the stability region since $p(\cdot)$ is convex and $f(\cdot)$ is concave. Thus the line constructed above is an upper bound to $f(p(\gamma))$ for $0 \leq \gamma \leq 1$. Consider also the line starting from $f(0)$ and having a slope $f'(1)p'(0)$ (this slope is clearly a lower bound on the slope of $f(p(\gamma))$). It is thus true that f lies in *between* these two lines. Thus we can get conditions under which the equilibrium strategy is less than (or equal to) the maximal possible value, i.e., the extreme point $\gamma = 1$.

Proposition 1. *If the network topology and $f(\cdot)$ satisfy $f'(0)p'(1) \leq Kh(1)$, then the equilibrium strategy is $\gamma^* = 0$.*

Proof: Follows from the construction of bounds above.

Remark: Above result shows that if K , i.e., the energy spent in reception and transmission is larger than a threshold (say $K^* = \frac{f'(0)p'(1)}{h(1)}$), it is best for the nodes to not forward packets at all *even under the punishing mechanism*. This is to be compared with the fact proved below that $\gamma = 0$ is *always* a *local* maximum for $L > 2$ for the circular network. Thus the above result gives a criteria when $\gamma = 0$ is also a *global* maximum.

The Case of the Circular Network with $f(p(\gamma)) = p(\gamma)$ For the case of circular network and $f(\cdot)$ being an identity function, we can say more about the dependence of γ^* on K . It is seen that for this particular case, $U_i(0) = -K$.

For the optimum, the derivative of $U_i(\gamma)$ with respect to γ should be zero, i.e.,

$$\frac{L-1}{K}\gamma^{L-2} = (L-1)\gamma^{L-3} + \dots + 1.$$

So, if $K > L-1$, the above requirement is not possible for $\gamma < 1$. Thus the only solution is either $\gamma = 0$ or $\gamma = 1$. But, as will be seen in later section, $\gamma = 0$ is always a local maximum. Thus, in absence of any other critical point (where $U_i'(\gamma) = 0$), the global maximum is at $\gamma^* = 0$. Thus, for $K > L-1$, we have that $\gamma^* = 0$. This is, as argued before, reasonable, as for K *large*, a node will spend more energy to forward packets, hence will not do it for any packet it gets for forwarding; we thus obtain the expression for energy requirement that can be characterised as *large*, i.e., $K^* := L-1$.

In getting the above bound on K we assumed that $f(x) = x$. The above reasoning is however true for any $f(\cdot)$ whenever $f'(0) \leq \frac{K}{L-1}$ for the circular networks, i.e., if $f'(\cdot) \geq \frac{L-1}{K}$ since $f(\cdot)$ is concave. Thus, for a fixed set of K and L , we get that $\gamma^* = 0$ for any $f(\cdot)$ that has slope $\leq \frac{K}{L-1}$. Looking at it from other point, we again see that if $K \geq \frac{L-1}{f'(0)}$ then $\gamma^* = 0$.

5.2 Dependence of γ^* on L

In the above we saw that in the case of a symmetric network and for a fixed L , if $K > K^*$, we get that $\gamma^* = 0$. The intuition for this result is that a node will have to spend more energy in forwarding the packets as compared to the reward it gets by its own packet forwarded by other nodes. However, if we fix K and increase the hop-length L , it is intuitive that γ^* will eventually start decreasing as a function of L . This is established in [9].

6 Algorithm for Computing the Equilibrium Strategy in a Distributed Manner

It is interesting to design distributed algorithms which can be used by the mobiles to compute the equilibrium strategy and simultaneously enforce the proposed punishment mechanism. The obvious desirable features of such an algorithm are that it should be decentralised, distributed scalability and should be able to adapt to changes in network.

We propose such an algorithm in this section. We present it, for ease of notation, for the case of symmetric network. Assume for the moment that $f(\cdot)$ is the identity function. In this case each node has to solve the equation (recall the notation of Section 3)

$$U'(\gamma) = A'(\gamma) - KH'(\gamma) = 0, \quad (4)$$

where the primes denote the derivatives with respect to γ . In general this equation will be nontrivial to solve directly. For the case of more general network, one needs to compute the derivative of the utility function of Equation 1, the rest of procedure that follows is similar.

Note that in the above expression we first assume that the forwarding probabilities of all the nodes in the network are same (say γ) and then compute the derivative with respect to this common γ . This is because in the node must take the effect of punishment mechanism into account while computing its own optimal forwarding probability, i.e., a node should assume that all the other nodes will use the same forwarding probability that it computes.

Thus, solving Equation 4 is reduced to a single variable optimization problem. Since the actual problem from which we get Equation 4 is a maximization problem, a node does a gradient *ascent* to compute its optimal forwarding probability. Thus, in its n^{th} computation, a node i uses the iteration

$$\gamma_i^{(n+1)} = \gamma_i^{(n)} + a(n)(A'(\gamma_i^{(n)}) - KH'(\gamma_i^{(n)})), \quad (5)$$

where $a(n)$ is a sequence of positive numbers satisfying the usual conditions imposed on the learning parameters in stochastic approximation algorithms [8], i.e.,

$$\sum_n a(n) = \infty \text{ and } \sum_n a(n)^2 < \infty.$$

The relation to stochastic approximation algorithm here is seen as follows: the network topology can be randomly changing with time owing to node failures/mobility et cetera. Thus a node needs to appropriately modify the functions $\Lambda(\cdot)$ and $H(\cdot)$ based on its most recent view of the network (this dependence of $\Lambda(\cdot)$ and $H(\cdot)$ on n is suppressed in the above expression).

It is known by the o.d.e. approach to stochastic approximation algorithm that the above algorithm will asymptotically track the o.d.e. [8]:

$$\dot{\gamma}_i(t) = \Lambda'(\gamma_i(t)) - KH'(\gamma_i(t)), \quad (6)$$

and will converge to one of the *stable* critical points of o.d.e. of Equation 6. It is easily seen that a local maximum of the utility function forms a stable critical point of Equation 6 while any local minimum forms an unstable critical point. Thus the above algorithm inherently makes the system converge to a local maximum and avoids a local minimum.

However, it is possible that different nodes settle to different local maxima (we have already seen that there can be multiple maxima). The imposed punishment mechanism then ensures that all the nodes settle to the one which corresponds to the lowest values of γ . This is a desirable feature of the algorithm that it inherently avoids multiple simultaneous operating points. An implementation of the punishment mechanism is described next.

6.1 Distributed Implementation of the punishment mechanism

An implementation of punishment mechanism proposed in Section 2 requires, in general, a node to know about the misbehaving node in the network, if any. Here we propose a simple implementation of the punishment mechanism which requires only local information for its implementation.

Let $\mathcal{N}(i)$ be the set of neighbours of node i . Every node computes its forwarding policy in a distributed manner using the above mentioned stochastic approximation algorithm. However, as soon as a neighboring node is detected to misbehave by a node, the node computes its forwarding policy as follows:

$$\gamma_i^* = \min\{\gamma_i, \min_{j \in \mathcal{N}(i)} \hat{\gamma}_j\} \quad (7)$$

where γ_i and $\hat{\gamma}_j$ represents, respectively, the forwarding policy adopted by node i and the estimate of node j 's forwarding probability available to node i . γ_i^* represents the new policy selected by node i . Note here that γ_i is still computed using iteration of Equation 5. We are also assuming here that a node can differentiate between a misbehaving neighbouring node and the failure/mobility of a neighbouring node.

This punishment propagates in the network until all the nodes in the network settle to the common forwarding probability (corresponding to that of the misbehaving node). In particular, the effect of this punishment will be seen by the misbehaving node as a degradation in its own utility. Suppose now that the misbehaving node, say n_i , decides to change to a cooperative behavior: at that point, it will detect and punish its neighbors because of the propagation of the

punishment that induced its neighbouring nodes to decrease their forwarding policy. Thus, the initial punishment introduces a negative loop and the forwarding policy of every node of the network collapses to the forwarding policy selected by the misbehaving node. Since now every node in the network has same value of forwarding probability, none of the nodes will be able to increase its forwarding probability even if none of the node is misbehaving now.

An example of this phenomenon can be seen from the network of Figure 1. Assume that $\gamma_2 = \gamma_3 = \gamma$ and now node 2 reduces γ_2 to a smaller value γ' . Owing to the punishment mechanism, node 3 will respond with $\gamma_3 = \gamma'$. This will result in a reduced utility for node 2 which would then like to increase γ_2 . But, since $\gamma_3 = \gamma'$, the punishing mechanism would imply that $\gamma_2 = \gamma'$ as well. This *lock-in* problem is avoided by the solution proposed below.

We modify our algorithm using timers to account for the above mentioned effect. Details are given in [9].

7 Numerical results

In this section we present numerical results from a MATLAB implementation of the proposed algorithm. We consider a circular network with N mobiles where each mobile is a source of a traffic stream having as its destination the mobile that is L hops away. The numerical results are meant to validate the structural results obtained in the paper and also to indicate the possibility of practical implementation of the proposed punishment scheme. The particular choice of function $f(\cdot)$ are motivated by need to facilitate a better visual presentation. The plots of this section show the value of γ^* computed in the n^{th} iteration of the algorithm vs. the iteration number. The sequence of learning parameters is chosen to be $a(n) = \frac{1}{n \ln(n)}$ (we used various other options also, the results were similar). In the simulations we assume that each node has a lower bound $\gamma_{min} > 0$ on the value of forwarding probability. We take $\gamma_{min} = 0.01$ in results reported here.

7.1 Structural Results

We now validate against simulations the structural results obtained in the paper. Figure 2 depicts the distributed computation of γ^* using the proposed algorithm. We use $f(x) = \ln(100x + 1)$ and $L = 3$. The various curves are obtained by varying the value of K . We see that γ^* is indeed a decreasing function of K . Similar observation is made from Figure 3 where we fix $K = 0.2$ and $f(x) = (x + 0.0005)^{0.2}$ and vary L . It is seen that γ^* decreases with increasing L and for large value of $L (= 11)$, $\gamma^* = \gamma_{min}$.

7.2 Results with Punishment Mechanism Invoked

Figure 4 gives the evolution of the estimated of γ^* of various nodes for the circular network with $N = 6$, $L = 3$, $K = 2$ and $f(x) = \ln(100x + 1)$. Node 1 starts misbehaving at iteration number 100 and continues to misbehave till iteration




Figure 2. $L = 3$ and K is varied. The function $f(x) = \ln(100x + 1)$.




Figure 3. $K = 0.2$ and L is varied. The function $f(x) = (x + 0.0005)^{0.2}$.

number 130; during this period node 1 keeps a forwarding probability of 0.1. Note that during this period all the other nodes decrease their individual forwarding probability to the value used by node 1, i.e., 0.1. The jumps in the forwarding probabilities during these period are because of the implementation of timer for punishment in the individual nodes (detailed in previous section). The timer value was set to 10 simulation slots. Soon after node 1 stops misbehaving, the forwarding probabilities of all the other nodes increase to settle to the optimal value 0.48. Note here that the convergence of the gradient algorithm is fast enough and that the nodes restart the learning sequence $a(n)$ after each timer expiry. Also shown in the figure is that node 2 misbehaves in the period between iteration 600 and 650.

7.3 The Asymmetric Network of Figure 1

We now consider the case of asymmetric network of Figure 1. We assume that $f_2(x) = g_3(x) = \sqrt{x}$ and that $g_3(\cdot) \equiv 0$. In this case it is seen that the utility functions for nodes 2 and 3 are, assuming $\lambda_{13} = \lambda_{24} = 1$, $U_2(\gamma_2, \gamma_3) = \sqrt{\gamma_3} - aE_f\gamma_2$ and $U_3(\gamma_2, \gamma_3) = \sqrt{\gamma_2} - aE_f\gamma_3$. On imposing the punishment mechanism for this case it is seen that, the optimal value of forwarding probabilities of node 2 and node 3 are $\gamma_2 = \gamma_3 = \frac{1}{\sqrt{2aE_f}}$. Figure 5 gives the evolution of the estimates of γ_2 and γ_3 for this network for different values of $K = aE_f$. The minimum value of γ_i was taken to be 0.1 and the maximum value was 0.9. Note from the figure that for $K = 1$, the equilibrium strategy of $\frac{K}{2}$ as obtained above is achieved. For large (resp. small) value of K , the equilibrium strategy is at γ_{max} (resp. γ_{min}).

8 Conclusion

We use the framework of non-cooperative game theory to provide incentives for collaboration in the case of wireless Ad-hoc networks. The incentive proposed in




Figure 4. $N = 6$, $K = 2$, $L = 3$, $f(x) = \ln(100x + 1)$. Nodes 1, 2 misbehave in nonoverlapping intervals.




Figure 5. Evolution of the estimates of γ_2 and γ_3 for the network of Figure 1.

the paper is based on a simple punishment mechanism that can be implemented in a completely distributed manner with very small computational complexity. The advantage of the proposed strategy is that it results in a less “aggressive” equilibrium in the sense that it does not result in a degenerate scenario where a node either forwards all the requested traffic or does not forward any of the request.

Some structural results relating the equilibrium strategy to the system parameters were also presented and were verified using an implementation of the punishing mechanism.

References

1. D. Dutta, A. Goel and J. Heidemann, “Oblivious AQM and Nash Equilibria”, IEEE Infocom, 2003.
2. J. Crowcroft, R. Gibbens, F. Kelly, and S. Ostring. Modelling incentives for collaboration in mobile Ad-hoc networks. In *Proceedings of WiOpt’03*, Sophia-Antipolis, France, 3-5, March 2003.
3. M. Félegyházi, L. Buttyán and J. P. Hubaux, “Equilibrium analysis of packet forwarding strategies in wireless Ad-hoc networks – the static case”, PWC 2003 Personal Wireless Communications, Sept. 2003, Venice, Italy.
4. P. Michiardi and R. Molva. A game theoretical approach to evaluate cooperation enforcement mechanisms in mobile Ad-hoc networks. In *Proceedings of WiOpt’03*, Sophia-Antipolis, France, 3-5, March 2003.
5. L. Samuelson, “Subgame Perfection: An Introduction,” in John Creedy, Jeff Borland and Jrgen Eichberger, eds., *Recent Developments in Game Theory*, Edgar Elgar Publishing, 1992, 1-42.
6. V. Srinivasan, P. Nuggehalli, C. F. Chiasserini and R. R. Rao, “Cooperation in wireless Ad-hoc networks”, *Proceedings of IEEE Infocom*, 2003.
7. A. Urpi, M. Bonuccelli, and S. Giordano. Modeling cooperation in mobile Ad-hoc networks: a formal description of selfishness. In *Proceedings of WiOpt’03*, Sophia-Antipolis, France, 3-5, March 2003.
8. H. J. Kushner and G. Yin, “Stochastic Approximation Algorithms and Applications,” Springer-Verlag, 1997.
9. E. Altman, P. Michiardi and R. Molva. Non-cooperative Forwarding in Ad-hoc Networks. INRIA Report No. RR-5116, Sophia-Antipolis, France, February 2004.